


Hexagon 48" Kids Trampoline Installation Manual

Prior to assembly, first please check all parts are available as follows:

1. Safety pad 1pc
2. Jumping mat 1pc
3. Top square tube (with foam) 6 pcs
4. Bottom square tube (with holes) 6 pcs
5. Plastic cross 6pcs
6. Safety pole 6pcs
7. Plastic pipe tee 6pcs
8. Leg tube 6pcs
9. Spring 24pcs
10. Hook 1pc
11. Hammer 1pc


Step 1

Find two bottom square tubes and connect them together with plastic crosses by using the attached hammer. Please make sure the diagonal direction of the square tube corresponds to the diagonal one of the plastic cross.




Step 2

Assemble remaining four bottom square tubes to the plastic crosses as shown in the above picture. For better installation for the following steps, please make sure the length of one square tube is about 50cm after assembly.




Step 3

Turn the frame over to make the holes on the bottom square tubes downwards. Insert and knock the leg tubes into the plastic crosses. Tilt the frame and tighten each plastic cross as shown in the above picture.



Step 4

Put each spring through the loop of the jumping mat. Please make sure the six corners of the jumping mat require two springs. Connect springs to the frame tube with the attached hook. For easy installation, please first connect two springs in each corner as shown in the above picture, and then connect remaining springs evenly. We do not recommend connect springs sequentially from one side for safety reason.



Step 5



Install the safety pad to cover the frame. Please make sure plastic crosses are inserted into the holes on the pad. Connect the elastic tapes to the bottom square tubes and springs as shown in the above pictures.



Step 6

Insert 6 safety poles into the round holes of the plastic crosses as shown in the above pictures.




Step 7

Find two top square tubes and connect them together with plastic pipe tees by using the attached hammer. Please make sure the diagonal direction of the square tube corresponds to the diagonal one of the plastic pipe tee.



Step 8

Assemble remaining four top square tubes to the plastic pipe tees as shown in the above picture. For better installation for the following steps, please make sure the length of one square tube is about 50cm after assembly.



Step 9

Install the assembled top square tube frame to the safety poles as shown in the above pictures.



Step 10

Hang and tighten the safety net to each corner of the top square tubes with buckles on the net.

